LEPC Mission: Local Emergency Planning Committees (LEPC's) work together with all emergency response agencies to understand chemical hazards in the community, develop emergency plans in case of an accidental release, and look for ways to prevent chemical accidents.

Meeting called to order:@ 1900 by LEPC Chairman Don StevesonVia in-person and ZoomSeveral on Zoom Meeting

APPROVAL OF THE AGENDA:

- Motion: Scott Beachler
- Second: Sam Keller

Motion Carried

APPROVAL OF MINUTES: Minutes for the December 29, 2021.

- Additions/Corrections: Need to add Chris Kenney to the attendance
- Motion: Randy Bury Second: James Curren Motion Carried

OLD BUSINESS:

- 1. Corona Virus (Covid-19) Update
 - a. Discuss cases. (Weston County) (as of 1.25.2022)
 - b. Weston County Hospital reported (N/A)
 - Total Laboratory Confirmed cases: 1,036 up from 932 at last report
 - Total New cases Since Last Update: 20 Up from 0 at last report
 - Total Laboratory Confirmed Active Cases: 56 up from 22 at last report
 Total Laboratory Confirmed Cases Recovered: 966 up from 897 at last report
 - Total Laboratory Confirmed Cases Recovered: 966 up from 897 at last report
 Total Laboratory Confirmed Cases in the past 14 days: 75 Up from 29 at last report
 - Total Probable Cases: 333 up from 304 at last report
 - Total Probable Cases Since Last Update: 0 no change from last report
 - Total Probable Cases Recovered: 323 up from 302 at last report
 - Total lab Confirmed and Probable Cases: 1,369 up from 1,236 at last report
 - Total Deaths: 16 up from 14 at last report

Randy Bury informed everyone that Cambria Pharmacy has received several In-Home Covid-19 test kits. Kits cost \$40.00 and will have two test per kit.

- 2. WyoLink Tower Update
 - a. No word on an update. Will need to get with Mike Moore to see what progress has been made.
- 3. Dispatch Communications
 - a. Sam Keller commented they are still moving forward with the discussions between Upton and the county. Reviewing policies and procedures. They are trying to get contractors to build the new server room and remodel at the new location. Will need a cost to run 50 pair line from the Sheriff's office and what electrical needs to be updated during the construction. Will need to update and replace doors to the new dispatch location.
- 4. HMEP Grant
 - a. Nothing new

NEW BUSINESS:

- 1. LTPO meeting with several entities and seems to be a great attendance. Gilbert and the Sheriff are compiling the information from the meeting.
- 2. Need to look for an ICS 400 class coming up to attend.


TRAINING:

- 1. ICS-300 class at the Newcastle Fire hall January 26-28, 2022.
- 2. Hybrid Amateur Radio Tech Class in February See attached information.
- 3. CTOS (Counterterrorism Operations Support) Virtual Training.
- 4. Danial Tysdal sent out information on a portable communication set up from First Net
- 5. Wyoming Pipeline Association Invitation February 7th at 5:30 PM at the Weston County event center.

Next LEPC Meeting Scheduled for February 23, 2022.

ADJOURNM	IENT: <u>1923</u>	P.M.		
Motion:	James Curren	Second:	Chris Kenney	Motion Carried

Attendance				
Name	Agency	Email		
Don Steveson	Refinery/ LEPC Chair/NVFD	dsteveson@parpacific.com		
Scott Beachler	WCSSR	sbnwy@outlook.com		
Melissa Stubbs	NPD	npdstubbs@rtconnect.net		
Randy Bury	Wyoming Public Health	randy.bury1@wyo.gov		
Chris Kenney	NVFD	Chris.kenney@rtconnect.net		
James Curren	NVFD	nvfdchief@rtconnect.net		
Sam Keller	NPD	npdkeller@rtconnect.net		
David Scott	Wyoming Honor Camp	David.scott@wyo.gov		
Susan Bridge	Upton PD	Susan.bridge@townofupton.com		



Variant Data

Wyoming COVID-19 Variant Case Dashboard Total Alpha Variant Cases Detected: 856

Total Alpha Variant Cases Detected: 856 Total Beta Variant Cases Detected: 1 Total Delta Variant Cases Detected: 7,617 Total Epsilon Variant Cases Detected: 260 Total Eta Variant Cases Detected: 2 Total Gamma Variant Cases Detected: 59 Total Kappa Variant Cases Detected: 3 Total Omicron Variant Cases Detected: 237 Total Zeta Variant Cases Detected: 1 Select variant to view in the map

